


Application No.: 10/777,563
 After Final Response dated: November 21, 2008
 Reply to Office Action: August 25, 2008

RECEIVED
 CENTRAL FAX CENTER
 DEC 1 8 2008


COPY

Amendments to the Claims

1. (Three Times Amended) A process for polymerizing olefin(s) comprising combining said olefin(s) in the presence of a catalyst system comprising a Group 15 containing [bidentate or] tridentate ligated metal catalyst compound, wherein the process is conducted at a temperature from between 50° C. to 200° C., and wherein the catalyst compound is represented by the formula: [formulae:]



or



wherein M is metal;

each X is an aryl substituted alkyl leaving group;

y is 0 or 1;

Application No.: 10/777,563
After Final Response dated: November 21, 2008
Reply to Office Action: August 25, 2008

COPY

n is the oxidation state of M;

m is the formal charge of Y, Z and L [or of Y, Z, and L'];

L is a Group 15 element;

[L' is a Group 15 element or Group 14 containing group;]

Y is a Group 15 element;

Z is a Group 15 element;

R¹ and R² are independently a linear, branched, or cyclic C₂-C₂₀ alkyl group; [C₁ to C₂₀ hydrocarbon group, a heteroatom containing group having up to twenty carbon atoms, silicon, germanium, tin, lead, or phosphorus;]

R³ is absent, a hydrocarbon group, hydrogen, a halogen, or a heteroatom containing group;

R⁴ and R⁵ are independently an alkyl group, an aryl group, a substituted aryl group, a cyclic alkyl group, a substituted cyclic alkyl group, a cyclic arylalkyl group, a substituted cyclic arylalkyl group or a multiple ring system;

R¹ and R² may be interconnected to each other, and/or R⁴ and R⁵ may be interconnected to each other; and

R⁶ and R⁷ are independently absent, hydrogen, an alkyl group, halogen, heteroatom or a hydrocarbyl group; [and

R⁸ is absent, hydrogen, a Group 14 atom containing group, a halogen, or a heteroatom containing group]


wherein said Group 15 containing tridentate ligated metal catalyst compound is added to a polymerization reactor in one of a slurry, a solution, an emulsion, a dispersion or a

Application No.: 10/777,563
After Final Response dated: November 21, 2008
Reply to Office Action: August 25, 2008

COPY

suspension, and wherein said Group 15 containing tridentate ligated metal catalyst compound has an activity of at least 641 g polyethylene/mmol catalyst•atm•h.

2. (Once Amended) The process of claim 1 wherein R¹ and R² are a C₂ to C₆ hydrocarbon radical [selected from the group consisting of a C₁ to C₂₀ hydrocarbon group, a heteroatom containing group, silicon, germanium, tin, lead, and phosphorus].
3. (Cancelled)
4. (Original) The process of claim 1 wherein R⁴ and R⁵ are represented by the formula:



wherein R⁸ to R¹² are each independently hydrogen, a C₁ to C₄₀ alkyl group, a halide, a heteroatom, or a heteroatom containing group containing up to 40 carbon atoms, wherein any two R groups may form a cyclic group and/or a heterocyclic group, and wherein the cyclic groups may be aromatic.

5. (Once Amended) The process of claim 4 wherein R⁸ to R¹² [R⁹, R¹⁰ and R¹²] are independently a methyl, ethyl, propyl or butyl group and X is a substituted aryl group having greater than 10 carbon atoms.
6. (Once Amended) The process of claim 4 wherein R⁸ to R¹² [R⁹, R¹⁰ and R¹²] are methyl groups, and [R⁸ and R¹¹ are hydrogen and] X is [a] an alkyl substituted with an aryl group.

Application No.: 10/777,563
After Final Response dated: November 21, 2008
Reply to Office Action: August 25. 2008

COPY

7. (Original) The process of claim 4 wherein L, Y, and Z are nitrogen, R¹ and R² are a hydrocarbon radical, R³ is hydrogen, and R⁶ and R⁷ are absent.
8. (Once Amended) The process of claim 1 wherein L and Z are independently nitrogen, [L] is a hydrocarbyl radical,] and R⁶ and R⁷ are absent.
9. (Cancelled)
10. (Original) The process of claim 1 wherein the process is a continuous gas phase process.
11. (Original) The process of claim 1 wherein the process is a continuous slurry phase process.
12. (Original) The process of claim 1 wherein the olefin(s) is ethylene or propylene.
13. (Original) The process of claim 1 wherein the olefins are ethylene and at least one other monomer having from 3 to 20 carbon atoms.
14. (Original) The process of claim 1 wherein the catalyst system further comprises an activator.